



# Deep Cutting Bi-Metal Hole Saws

Extra deep 1-7/8" (48mm) cutting depth for specialty cuts made by locksmiths, remodelers, and general contractors alike. Separate arbor required.



## ► Features & Benefits

- > Easily cuts through 2 x 4's, joists, and most doors in one pass with extra clearance
- > Variable pitch smoothes cutting action with minimum vibration

### BIMETAL - ARBOR REQUIRED

Multiple use hole saw for general contractor cutting applications



#### APPLICATIONS

- Mild Machinable Metal
- Stainless Steel Alloys
- Nail Embedded Wood
- Plastic
- Wood
- Deep Cut Style Available

Separate Arbor Required  
Hss Pilot Drill Recommended Cutting Depth: 1 - 1/2  
Deep Cut Depth: 1-7/8

### BIMETAL - ARBOR ATTACHED

Multiple use hole saw with convenient attached arbor



#### APPLICATIONS

- Mild Machinable Metal
- Stainless Steel Alloys
- Nail Embedded Wood
- Plastic
- Wood
- Deep Cut Style Available

Arbor Built in  
Hss Pilot Drill Recommended Cutting Depth: 1 - 1/2  
Deep Cut Depth: 1-7/8

### TUNGSTEN CARBIDE TIPPED

Spacial tooth design for very fast cutting in abrasive materials



#### APPLICATIONS

- Accoustic Tile
- Aluminum
- Counter tops
- Dry Wall
- Fiber Board
- Fiber Glass
- Plaster
- Plastics
- Nail - Free Wood

Separate Arbor Required  
Hss Pilot Drill Recommended Cutting Depth: 1 - 1/2

### BIMETAL - ARBOR REQUIRED

For very hard abrasive materials-nice clean cuts in thin materials



#### APPLICATIONS

- Accoustic Tile
- Brick
- Cast Iron
- Cement Board
- Ceramics
- cinderblock
- Composites
- Computer Flooring
- Fiberglass
- Foamed Glass
- Hardened Steel
- Hardiebacker

Separate Arbor Required  
Carbide Tip Piolet Drill Recommended Cutting Depth: 1 - 1/2  
Available in Recessed Lighting Sizes

Diameter	Cutting Depth	Thread Size	1/Pkg Part#
3/4" (19mm)	1-7/8" (48mm)	1/2-20	150002
7/8" (22mm)	1-7/8" (48mm)	1/2-20	150019
1" (25mm)	1-7/8" (48mm)	1/2-20	150026
1-1/8" (29mm)	1-7/8" (48mm)	1/2-20	150033
1-3/16" (30mm)	1-7/8" (48mm)	1/2-20	150248
1-1/4" (32mm)	1-7/8" (48mm)	5/8-18	150040
1-3/8" (35mm)	1-7/8" (48mm)	5/8-18	150057
1-1/2" (38mm)	1-7/8" (48mm)	5/8-18	150064
1-3/4" (44mm)	1-7/8" (48mm)	5/8-18	150071
1-7/8" (48mm)	1-7/8" (48mm)	5/8-18	150088
2" (51mm)	1-7/8" (48mm)	5/8-18	150095
2-1/8" (54mm)	1-7/8" (48mm)	5/8-18	150101
2-1/4" (57mm)	1-7/8" (48mm)	5/8-18	150118
2-3/8" (60mm)	1-7/8" (48mm)	5/8-18	150170
2-1/2" (64mm)	1-7/8" (48mm)	5/8-18	150125
2-3/4" (70mm)	1-7/8" (48mm)	5/8-18	150354
3" (76mm)	1-7/8" (48mm)	5/8-18	150132
3-1/4" (83mm)	1-7/8" (48mm)	5/8-18	150385
3-3/8" (86mm)	1-7/8" (48mm)	5/8-18	150149
3-1/2" (89mm)	1-7/8" (48mm)	5/8-18	150187
	1-7/8" (48mm)	5/8-18	150408
3-7/8" (98mm)	1-7/8" (48mm)	5/8-18	150194
4" (102mm)	1-7/8" (48mm)	5/8-18	150200
4-1/4" (108mm)	1-7/8" (48mm)	5/8-18	150156
4-1/2" (114mm)	1-7/8" (48mm)	5/8-18	150439
4-3/4" (121mm)	1-7/8" (48mm)	5/8-18	150446
5" (127mm)	1-7/8" (48mm)	5/8-18	150453
5-1/2" (140mm)	1-7/8" (48mm)	5/8-18	150460
6" (152mm)	1-7/8" (48mm)	5/8-18	150484
6-5/8" (168mm)	1-7/8" (48mm)	5/8-18	150163